



Planning Your Chimney Installation



Toll-Free 1-866-667-8454



Cathedral Ceiling Support Installation

2 Ft. Minimum Above Highest Point of the Building within 10 Ft. 3 Ft. Minimum Above Roof Penetration **Minimum Chimney Height Requirement**

Ceiling Support Installation with Offset

12" ruler

Measure Roof Pitch to Select Proper Flashing To calculate roof pitch, use a level 12" ruler, then measure the number of inches from the bottom of the ruler to the roof. Example: If (A) equals 6" then the roof pitch is 6/12.

http://www.northlineexpress.com/pipe-install-planning.asp

Toll-Free 1-866-667-8454

Installation Planning Worksheet	
1. Fuel Type	(wood stove, pellet stove, chimney relining, etc.)
2. Diameter Required	(refer to manufacturer's instructions from the appliance you are installing)
3. How Do You Plan to Install	(Through-the-wall, through-the-ceiling - flat ceiling or cathedral ceiling?, Offset installation, chimney relining?)
4. Do You Currently Have Chimney	Pipe (What brand? What diameter?)
5. Do You Have a Preference of Dou	ble Wall or Triple Wall Chimney Pipe
6. Do You Have a Preference of Sing	gle Wall or Double Wall Stovepipe
(How close to a wall (ceiling) do y	ou need to be? Minimum of 6" with double wall, 18" with single wall)
7. What material is your roof covere	ed with?(Shingles? Metal?)
If Roof is Metal; What is the heigh	nt and width of ridges? What is the distance between ridges?
8. Measurements (We need the follow	ving measurements to calculate a quote for you)
Ceiling Height	(Measure from the ceiling to the floor in the room that you are installing appliance)
Appliance Height	(Measure the height of the appliance you are installing. Does your appliance vent out the top or out the back?)
Number of Stories	(Measure from the ceiling to the floor for every story the chimney will be going through
Attic Height	(Measure from the roof to the bottom rafter)
Exterior Pipe Height	(Minimum of 3 ft. from roof. If measurement is greater than 5 feet an extended roof bracket is manditory.)
Roof Pitch	Ceiling Pitch (if cathedral)
Abnormal Specifications (A	ny offsets – refer to offset charts - http://www.northlineexpress.com/elbowoffsetcharts.asp,
any other information we may	need)
Your Contact Information	
Name:	Email Address:
Daytime Phone: ()	Address:
Fax Number: ()	Zip Code
NorthlineExpress Contact Information	on



Fax this page to: (989) 821-7203,

or email information to: orderdesk@northlineexpress.com

Phone Toll-Free: 866-667-8454

Snail Mail: NorthlineExpress

9195 North Cut Road Roscommon, MI 48653 Attn: Order Desk